

1: Linder F, Mani K, Juhlin C, Eklöf H. Routine whole body CT of high energy trauma patients leads to excessive radiation exposure. *Scand J Trauma Resusc Emerg Med.* 2016 Jan 27;24(1):7. doi: 10.1186/s13049-016-0199-2. PubMed PMID: 26817669; PubMed Central PMCID: PMC4729033.

2: Jensen K, Andersen HK, Tingberg A, Reisse C, Fosse E, Martinsen AC. Improved Liver Lesion Conspicuity With Iterative Reconstruction in Computed Tomography Imaging. *Curr Probl Diagn Radiol.* 2015 Dec 15. pii: S0363-0188(15)30040-2. doi: 10.1067/j.cpradiol.2015.11.004. [Epub ahead of print] Review. PubMed PMID: 26790606.

3: Ryu YJ, Choi YH, Cheon JE, Ha S, Kim WS, Kim IO. Knowledge-based iterative model reconstruction: comparative image quality and radiation dose with a pediatric computed tomography phantom. *Pediatr Radiol.* 2016 Mar;46(3):303-15. doi: 10.1007/s00247-015-3486-6. Epub 2015 Nov 6. PubMed PMID: 26546568.

4: Wiklund E, Koskinen SK, Linder F, Åslund PE, Eklöf H. Whole body computed tomography for trauma patients in the Nordic countries 2014: survey shows significant differences and a need for common guidelines. *Acta Radiol.* 2015 Aug 12. pii: 0284185115597718. [Epub ahead of print] PubMed PMID: 26271124.

5: Laser A, Kufera JA, Bruns BR, Sliker CW, Tesoriero RB, Scalea TM, Stein DM. Initial screening test for blunt cerebrovascular injury: Validity assessment of whole-body computed tomography. *Surgery.* 2015 Sep;158(3):627-35. doi: 10.1016/j.surg.2015.03.063. Epub 2015 Jun 9. PubMed PMID: 26067461.

6: Gunn ML, Kool DR, Lehnert BE. Improving Outcomes in the Patient with Polytrauma: A Review of the Role of Whole-Body Computed Tomography. *Radiol Clin North Am.* 2015 Jul;53(4):639-56, vii. doi: 10.1016/j.rcl.2015.02.006. Review. PubMed PMID: 26046503.

7: Kahn J, Grupp U, Kaul D, Böning G, Lindner T, Streitparth F. Computed tomography in trauma patients using iterative reconstruction: reducing radiation exposure without loss of image quality. *Acta Radiol.* 2016 Mar;57(3):362-9. doi: 10.1177/0284185115580839. Epub 2015 Apr 6. PubMed PMID: 25852193.

8: Winklehner A, Gordic S, Lauk E, Frauenfelder T, Leschka S, Alkadhi H, Husarik DB. Automated attenuation-based tube voltage selection for body CTA: Performance evaluation of 192-slice dual-source CT. *Eur Radiol.* 2015 Aug;25(8):2346-53. doi: 10.1007/s00330-015-3632-4. Epub 2015 Feb 19. PubMed PMID: 25693663.

9: Schueller G, Scaglione M, Linsenmaier U, Schueller-Weidekamm C, Andreoli C, De Vargas Macciucca M, Gualdi G. The key role of the radiologist in the management of polytrauma patients: indications for MDCT imaging in emergency radiology. *Radiol Med*. 2015 Jul;120(7):641-54. doi: 10.1007/s11547-015-0500-x. Epub 2015 Jan 30. PubMed PMID: 25634793.

10: Gordic S, Alkadhi H, Hodel S, Simmen HP, Brueesch M, Frauenfelder T, Wanner G, Sprengel K. Whole-body CT-based imaging algorithm for multiple trauma patients: radiation dose and time to diagnosis. *Br J Radiol*. 2015 Mar;88(1047):20140616. doi: 10.1259/bjr.20140616. Epub 2015 Jan 16. PubMed PMID: 25594105; PubMed Central PMCID: PMC4651196.

11: Caputo ND, Stahmer C, Lim G, Shah K. Whole-body computed tomographic scanning leads to better survival as opposed to selective scanning in trauma patients: a systematic review and meta-analysis. *J Trauma Acute Care Surg*. 2014 Oct;77(4):534-9. doi: 10.1097/TA.0000000000000414. Review. PubMed PMID: 25250591.

12: Gordic S, Desbiolles L, Stolzmann P, Gantner L, Leschka S, Husarik DB, Alkadhi H. Advanced modelled iterative reconstruction for abdominal CT: qualitative and quantitative evaluation. *Clin Radiol*. 2014 Dec;69(12):e497-504. doi: 10.1016/j.crad.2014.08.012. Epub 2014 Sep 18. PubMed PMID: 25239788.

13: Fakler JK, Ozkurtul O, Josten C. Retrospective analysis of incidental non-trauma associated findings in severely injured patients identified by whole-body spiral CT scans. *Patient Saf Surg*. 2014 Aug 31;8:36. doi: 10.1186/s13037-014-0036-3. eCollection 2014. PubMed PMID: 25187791; PubMed Central PMCID: PMC4152761.

14: Jiang L, Ma Y, Jiang S, Ye L, Zheng Z, Xu Y, Zhang M. Comparison of whole-body computed tomography vs selective radiological imaging on outcomes in major trauma patients: a meta-analysis. *Scand J Trauma Resusc Emerg Med*. 2014 Sep 2;22:54. doi: 10.1186/s13049-014-0054-2. Review. PubMed PMID: 25178942; PubMed Central PMCID: PMC4347587.

15: Colling KP, Irwin ED, Byrnes MC, Reicks P, Dellich WA, Reicks K, Gipson J, Beilman GJ. Computed tomography scans with intravenous contrast: low incidence of contrast-induced nephropathy in blunt trauma patients. *J Trauma Acute Care Surg*. 2014 Aug;77(2):226-30. doi: 10.1097/TA.0000000000000336. PubMed PMID: 25058246.

- 16: Jensen K, Martinsen AC, Tingberg A, Aaløkken TM, Fosse E. Comparing five different iterative reconstruction algorithms for computed tomography in an ROC study. *Eur Radiol.* 2014 Dec;24(12):2989-3002. doi: 10.1007/s00330-014-3333-4. Epub 2014 Jul 22. PubMed PMID: 25048191.
- 17: Beenen LF, Sierink JC, Kolkman S, Nio CY, Saltzherr TP, Dijkgraaf MG, Goslings JC. Split bolus technique in polytrauma: a prospective study on scan protocols for trauma analysis. *Acta Radiol.* 2015 Jul;56(7):873-80. doi: 10.1177/0284185114539319. Epub 2014 Jul 17. PubMed PMID: 25033993.
- 18: Bruns BR, Tesoriero R, Kufera J, Sliker C, Laser A, Scalea TM, Stein DM. Blunt cerebrovascular injury screening guidelines: what are we willing to miss? *J Trauma Acute Care Surg.* 2014 Mar;76(3):691-5. doi: 10.1097/TA.0b013e3182ab1b4d. PubMed PMID: 24553535.
- 19: McDonald JS, McDonald RJ, Carter RE, Katzberg RW, Kallmes DF, Williamson EE. Risk of intravenous contrast material-mediated acute kidney injury: a propensity score-matched study stratified by baseline-estimated glomerular filtration rate. *Radiology.* 2014 Apr;271(1):65-73. doi: 10.1148/radiol.13130775. Epub 2014 Jan 16. PubMed PMID: 24475854.
- 20: Paulus EM, Fabian TC, Savage SA, Zarzaur BL, Botta V, Dutton W, Croce MA. Blunt cerebrovascular injury screening with 64-channel multidetector computed tomography: more slices finally cut it. *J Trauma Acute Care Surg.* 2014 Feb;76(2):279-83; discussion 284-5. doi: 10.1097/TA.000000000000101. PubMed PMID: 24458034.
- 21: Grupp U, Schäfer ML, Meyer H, Lembcke A, Pöllinger A, Wieners G, Renz D, Schwabe P, Streitparth F. Reducing Radiation Dose in Emergency CT Scans While Maintaining Equal Image Quality: Just a Promise or Reality for Severely Injured Patients? *Emerg Med Int.* 2013;2013:984645. doi: 10.1155/2013/984645. Epub 2013 Dec 5. PubMed PMID: 24381762; PubMed Central PMCID: PMC3870118.
- 22: Sierink JC, Saltzherr TP, Russchen MJ, de Castro SM, Beenen LF, Schep NW, Goslings JC. Incidental findings on total-body CT scans in trauma patients. *Injury.* 2014 May;45(5):840-4. doi: 10.1016/j.injury.2013.10.009. Epub 2013 Oct 30. PubMed PMID: 24252575.
- 23: Geyer LL, Koerner M, Wirth S, Mueck FG, Reiser MF, Linsenmaier U. Polytrauma: optimal imaging and evaluation algorithm. *Semin Musculoskelet Radiol.* 2013 Sep;17(4):371-9. doi: 10.1055/s-0033-1356466. Epub 2013 Oct 7. Review. PubMed PMID: 24101177.

24: Huber-Wagner S, Biberthaler P, Häberle S, Wierer M, Dobritz M, Rummeny E, van Griensven M, Kanz KG, Lefering R; TraumaRegister DGU. Whole-body CT in haemodynamically unstable severely injured patients--a retrospective, multicentre study. *PLoS One*. 2013 Jul 24;8(7):e68880. doi: 10.1371/journal.pone.0068880. Print 2013. PubMed PMID: 23894365; PubMed Central PMCID: PMC3722202.

25: Ahrens KL, Reeder SB, Keevil JG, Tupesis JP. Successful computed tomography angiogram through tibial intraosseous access: a case report. *J Emerg Med*. 2013 Aug;45(2):182-5. doi: 10.1016/j.jemermed.2012.11.091. Epub 2013 May 29. PubMed PMID: 23726677.

26: Schwarz F, Grandl K, Arnoldi A, Kirchin MA, Bamberg F, Reiser MF, Becker CR. Lowering radiation exposure in CT angiography using automated tube potential selection and optimized iodine delivery rate. *AJR Am J Roentgenol*. 2013 Jun;200(6):W628-34. doi: 10.2214/AJR.12.9635. PubMed PMID: 23701094.

27: Siegel MJ, Ramirez-Giraldo JC, Hildebolt C, Bradley D, Schmidt B. Automated low-kilovoltage selection in pediatric computed tomography angiography: phantom study evaluating effects on radiation dose and image quality. *Invest Radiol*. 2013 Aug;48(8):584-9. doi: 10.1097/RLI.0b013e318289f918. PubMed PMID: 23563195.

28: Geyer LL, Körner M, Linsenmaier U, Huber-Wagner S, Kanz KG, Reiser MF, Wirth S. Incidence of delayed and missed diagnoses in whole-body multidetector CT in patients with multiple injuries after trauma. *Acta Radiol*. 2013 Jun;54(5):592-8. doi: 10.1177/0284185113475443. Epub 2013 Apr 30. PubMed PMID: 23481653.

29: Yaniv G, Portnoy O, Simon D, Bader S, Konen E, Guranda L. Revised protocol for whole-body CT for multi-trauma patients applying triphasic injection followed by a single-pass scan on a 64-MDCT. *Clin Radiol*. 2013 Jul;68(7):668-75. doi: 10.1016/j.crad.2012.12.011. Epub 2013 Feb 28. PubMed PMID: 23453711.

30: Harvey JJ, West AT. The right scan, for the right patient, at the right time: the reorganization of major trauma service provision in England and its implications for radiologists. *Clin Radiol*. 2013 Sep;68(9):871-86. doi: 10.1016/j.crad.2013.01.006. Epub 2013 Mar 1. Review. PubMed PMID: 23453710.

31: Boscak AR, Shanmuganathan K, Mirvis SE, Fleiter TR, Miller LA, Sliker CW, Steenburg SD, Alexander M. Optimizing trauma multidetector CT protocol for blunt splenic injury: need for arterial and portal venous phase scans. *Radiology*. 2013 Jul;268(1):79-88. doi: 10.1148/radiol.13121370. Epub 2013 Feb 28. PubMed PMID:

23449955.

32: Loewenhardt B, Hüttinger R, Reinert M, Hering B, Rathjen T, Gries A, Manke C, Bernhard M. Dose effects and image quality: is there any influence by bearing devices in whole-body computed tomography in trauma patients? *Injury*. 2014 Jan;45(1):170-5. doi: 10.1016/j.injury.2012.11.025. Epub 2013 Jan 16. PubMed PMID: 23332112.

33: McDonald JS, McDonald RJ, Comin J, Williamson EE, Katzberg RW, Murad MH, Kallmes DF. Frequency of acute kidney injury following intravenous contrast medium administration: a systematic review and meta-analysis. *Radiology*. 2013 Apr;267(1):119-28. doi: 10.1148/radiol.12121460. Epub 2013 Jan 14. Review. PubMed PMID: 23319662.

34: Healy DA, Hegarty A, Feeley I, Clarke-Moloney M, Grace PA, Walsh SR. Systematic review and meta-analysis of routine total body CT compared with selective CT in trauma patients. *Emerg Med J*. 2014 Feb;31(2):101-8. doi: 10.1136/emered-2012-201892. Epub 2013 Jan 12. Review. PubMed PMID: 23314211.

35: Placade D, Nadaud J, Lapierre M, Fétissof H, Schaeffer E, Mellati N, Millot I, Landy C. Feasibility of a thoraco-abdominal CT with injection of iodinated contrast agent on sternal intraosseous catheter in an emergency department. *Ann Fr Anesth Reanim*. 2012 Dec;31(12):e283-4. doi: 10.1016/j.annfar.2012.10.009. Epub 2012 Nov 16. PubMed PMID: 23159517.

36: Sierink JC, Saltzherr TP, Beenen LF, Luitse JS, Hollmann MW, Reitsma JB, Edwards MJ, Hohmann J, Beuker BJ, Patka P, Suliburk JW, Dijkgraaf MG, Goslings JC; REACT-2 study group. A multicenter, randomized controlled trial of immediate total-body CT scanning in trauma patients (REACT-2). *BMC Emerg Med*. 2012 Mar 30;12:4. doi: 10.1186/1471-227X-12-4. PubMed PMID: 22458247; PubMed Central PMCID: PMC3361475.

37: Kendall JL, Kestler AM, Whitaker KT, Adkisson MM, Haukoos JS. Blunt abdominal trauma patients are at very low risk for intra-abdominal injury after emergency department observation. *West J Emerg Med*. 2011 Nov;12(4):496-504. doi: 10.5811/westjem.2010.11.2016. PubMed PMID: 22224146; PubMed Central PMCID: PMC3236146.

38: Loewenhardt B, Buhl M, Gries A, Greim CA, Hellinger A, Hessmann M, Rathjen T, Reinert M, Manke C, Bernhard M. Radiation exposure in whole-body computed tomography of multiple trauma patients: bearing devices and patient positioning. *Injury*. 2012 Jan;43(1):67-72. doi: 10.1016/j.injury.2011.10.014. Epub 2011 Nov 4.

PubMed PMID: 22055141.

39: Foster BR, Anderson SW, Uyeda JW, Brooks JG, Soto JA. Integration of 64-detector lower extremity CT angiography into whole-body trauma imaging: feasibility and early experience. *Radiology*. 2011 Dec;261(3):787-95. doi: 10.1148/radiol.11100604. Epub 2011 Sep 21. PubMed PMID: 21940506.

40: Atluri S, Richard HM 3rd, Shanmuganathan K. Optimizing multidetector CT for visualization of splenic vascular injury. Validation by splenic arteriography in blunt abdominal trauma patients. *Emerg Radiol*. 2011 Aug;18(4):307-12. doi: 10.1007/s10140-011-0961-8. Epub 2011 May 26. PubMed PMID: 21614477.

41: Kaye D, Brasel KJ, Neideen T, Weigelt JA. Screening for blunt cerebrovascular injuries is cost-effective. *J Trauma*. 2011 May;70(5):1051-6; discussion 1056-7. doi: 10.1097/TA.0b013e318211857d. PubMed PMID: 21610423.

42: Huda W, Magill D, He W. CT effective dose per dose length product using ICRP 103 weighting factors. *Med Phys*. 2011 Mar;38(3):1261-5. PubMed PMID: 21520838.

43: Matsushima K, Peng M, Schaefer EW, Pruitt JH, Kashuk JL, Frankel HL. Posttraumatic contrast-induced acute kidney injury: minimal consequences or significant threat? *J Trauma*. 2011 Feb;70(2):415-9; discussion 419-20. doi: 10.1097/TA.0b013e3182095fa6. PubMed PMID: 21307743.

44: Knuth TE, Paxton JH, Myers D. Intraosseous injection of iodinated computed tomography contrast agent in an adult blunt trauma patient. *Ann Emerg Med*. 2011 Apr;57(4):382-6. doi: 10.1016/j.annemergmed.2010.09.025. Epub 2010 Dec 15. PubMed PMID: 21111513.

45: Söderberg M, Gunnarsson M. Automatic exposure control in computed tomography--an evaluation of systems from different manufacturers. *Acta Radiol*. 2010 Jul;51(6):625-34. doi: 10.3109/02841851003698206. PubMed PMID: 20429764.

46: Mitchell AM, Jones AE, Tumlin JA, Kline JA. Incidence of contrast-induced nephropathy after contrast-enhanced computed tomography in the outpatient setting. *Clin J Am Soc Nephrol*. 2010 Jan;5(1):4-9. doi: 10.2215/CJN.05200709. Epub 2009 Dec 3. PubMed PMID: 19965528; PubMed Central PMCID: PMC2801649.

47: Huber-Wagner S, Lefering R, Qvick LM, Körner M, Kay MV, Pfeifer KJ, Reiser M,

Mutschler W, Kanz KG; Working Group on Polytrauma of the German Trauma Society. Effect of whole-body CT during trauma resuscitation on survival: a retrospective, multicentre study. *Lancet*. 2009 Apr 25;373(9673):1455-61. doi: 10.1016/S0140-6736(09)60232-4. Epub 2009 Mar 25. PubMed PMID: 19321199.

48: Nguyen D, Platon A, Shanmuganathan K, Mirvis SE, Becker CD, Poletti PA. Evaluation of a single-pass continuous whole-body 16-MDCT protocol for patients with polytrauma. *AJR Am J Roentgenol*. 2009 Jan;192(1):3-10. doi: 10.2214/AJR.07.3702. PubMed PMID: 19098172.

49: Brink M, de Lange F, Oostveen LJ, Dekker HM, Kool DR, Deunk J, Edwards MJ, van Kuijk C, Kamman RL, Blickman JG. Arm raising at exposure-controlled multidetector trauma CT of thoracoabdominal region: higher image quality, lower radiation dose. *Radiology*. 2008 Nov;249(2):661-70. doi: 10.1148/radiol.2492080169. PubMed PMID: 18936319.

50: Munk MD, Peitzman AB, Hostler DP, Wolfson AB. Frequency and follow-up of incidental findings on trauma computed tomography scans: experience at a level one trauma center. *J Emerg Med*. 2010 Apr;38(3):346-50. doi: 10.1016/j.jemermed.2008.01.021. Epub 2008 Sep 19. PubMed PMID: 18804935.

51: Pfeifer R, Pape HC. Missed injuries in trauma patients: A literature review. *Patient Saf Surg*. 2008 Aug 23;2:20. doi: 10.1186/1754-9493-2-20. PubMed PMID: 18721480; PubMed Central PMCID: PMC2553050.

52: Li J, Udayasankar UK, Toth TL, Seamans J, Small WC, Kalra MK. Automatic patient centering for MDCT: effect on radiation dose. *AJR Am J Roentgenol*. 2007 Feb;188(2):547-52. PubMed PMID: 17242267.

53: Tien HC, Tremblay LN, Rizoli SB, Gelberg J, Spencer F, Caldwell C, Brenneman FD. Radiation exposure from diagnostic imaging in severely injured trauma patients. *J Trauma*. 2007 Jan;62(1):151-6. PubMed PMID: 17215747.

54: Idée JM, Pinès E, Prigent P, Corot C. Allergy-like reactions to iodinated contrast agents. A critical analysis. *Fundam Clin Pharmacol*. 2005 Jun;19(3):263-81. Review. PubMed PMID: 15910651.

55: Brenner DJ, Elliston CD. Estimated radiation risks potentially associated with full-body CT screening. *Radiology*. 2004 Sep;232(3):735-8. Epub 2004 Jul 23. PubMed PMID: 15273333.

56: Vassiliu P, Sava J, Toutouzas KG, Velmahos GC. Is contrast as bad as we think? Renal function after angiographic embolization of injured patients. *J Am Coll Surg*. 2002 Feb;194(2):142-6. PubMed PMID: 11848631.

57: Lasser EC, Lyon SG, Berry CC. Reports on contrast media reactions: analysis of data from reports to the U.S. Food and Drug Administration. *Radiology*. 1997 Jun;203(3):605-10. Erratum in: *Radiology* 1997 Sep;204(3):876. PubMed PMID: 9169676.