

Boulevardteaterns Guji Guji

TECHNICAL REQUIREMENTS

The **MINIMUM** requirements are as followed:

STAGE AREA

Width: 6m X Depth: 5m | Height : Minimum 3 m
(Approximate measures)

STAGE

The stage is required to be as clean and as safe as possible.
The performers will be running across throughout the performance.

SET

The set consists of a backdrop, adjustable in height and length.
4 movable clump of reeds, a bassxylofon

PROPERTIES

No props.

LIGHTING

We will use the venues existing light.

SOUND

We will use the venues existing soundsystem.

NOTE: Technician familiar with the sound and light equipment at the venue will be needed.

OPERATION

All sound for this production will be operated by our own technician from a laptop.

POWER

This performance requires 3 professional wireless headset microphones for theatre,
when performed in big venues.

GET IN

2 1/2 hours before showtime.

The company will set up in the space on the day of the performance.

GET OUT

The get out will take approximately One hour after the audience have vacated the theatre.

DRESSING ROOM/BOXES

Needed for THREE actresses.

TRANSPORT

We will need a 5 seated bus to transport crew and set between the venues.

(In Sweden we use a Peugeot Boxer)

***Guji Guji* CURRENTLY RUNS AT APPROXIMATELY 45 MINUTES WITH NO
INTERVAL**

For further questions and inquiries please email or call :

jorgen@boulevardteatern.se +46 7 38-98 79 39

please visit

<http://www.boulevardteatern.se/f%C3%B6rest%C3%A4llningar/barn/guji-international-29244443>