

**HEA Balk S355J2**

Dim	kg/m	10,1	12,1	15
100	16,70	x	x	
120	19,90	x	x	
140	24,70	x	x	
160	30,40	x	x	
180	35,50	x	x	
200	42,30	x	x	
220	50,50		x	
240	60,30		x	
260	68,20		x	
280	76,40		x	
300	88,30		x	x
320	97,6		x	x
340	105		x	x

**IPE Balk**

Dim	kg/m	10,1	12,1
80	6,00	6 m	
100	8,10	x	
120	10,40	x	
140	12,90	x	
160	15,80	x	x
180	18,80		x
200	22,40		x
220	26,20		x
240	30,70		x
270	36,10		
300	42,20		
330	49,10		
360	57,14		x

**UNP Balk S235JR**

Dim	kg/m	6 m	12 m
80	8,64	x	x
100	10,60	x	x
120	13,40	x	x
140	16,00		x
160	18,80		x
180	22,20		x
200	25,30		x
220	29,4		x
240	33,2		x

**UPE Balk**

Dim	kg/m	6 m	12,1 m
100	9,82	x	x
120	12,10	x	x
140	14,50		x
160	17,00		x
180	19,70		x
200	22,80		x
240	30,20		x
270	35,20		x
300	44,40		x

**HEB Balk S275JR S355J2**

Dim	kg/m	10,1	12,1
100	20,40	x	
120	26,70	x	x
140	33,70	x	
160	42,60	x	
180	51,20	x	
200	61,30		x
220	71,50		x
240	83,20		x
300	117,00		x
320	127,00		x
340	134,00		x

Övriga dimensioner anskaffas på begäran

**Varmvalsad Plåt Kval. 240 Z**

Tjocklek	Dim	Vikt/st
<b>3 mm</b>	2000x1000	48
	2500x1250	75
	3000x1500	108
<b>4 mm</b>	2000x1000	64
	2500x1250	100
	3000x1500	144
<b>5 mm</b>	2000x1000	80
	2500x1250	125
	3000x1500	180
<b>6 mm</b>	2000x1000	96
	2500x1250	150
	3000x1500	216
<b>8 mm</b>	2000x1000	128
	2500x1250	200
	3000x1500	288
<b>10 mm</b>	2000x1000	160
	2500x1250	250
	3000x1500	360
<b>12 mm</b>	2000x1000	192
	2500x1250	300
	3000x1500	432

**Kallvalsad plåt DC01 AM/SS 1142-32**

Tjocklek	Dim	Vikt/st
<b>1,00 mm</b>	2000x1000	16
	2500x1250	25
<b>1,50 mm</b>	2000x1000	24
	2500x1250	37,5
<b>2,00 mm</b>	2000x1000	32
	2500x1250	50
	3000x1500	72
<b>3,00 mm</b>	2000x1000	48
	2500x1250	75

**Varmförzinkad plåt Z275 DX51D**

Tjocklek	Dim	Vikt/st
<b>1,00 mm</b>	2000x1000	16
	2500x1250	25
<b>1,25 mm</b>	2500x1250	31,3
<b>1,50 mm</b>	2000x1000	24
	2500x1250	37,5
<b>2,0 mm</b>	2000x1000	32
	2500x1250	50
<b>3,00 mm</b>	2000x1000	48
	2500x1250	75

**Varmvalsad Plåt Kval. S355MC, BETAD**

Tjocklek	Dim	Vikt/st
<b>3 mm</b>	2000x1000	48
	2500x1250	75
	3000x1500	108
<b>4 mm</b>	2000x1000	64
	2500x1250	100
	3000x1500	144
<b>5 mm</b>	2000x1000	80
	2500x1250	125
	3000x1500	180
<b>6 mm</b>	2000x1000	96
	2500x1250	150
	3000x1500	216
<b>8 mm</b>	2000x1000	128
	2500x1250	200
	3000x1500	288
<b>10 mm</b>	2000x1000	160
	2500x1250	250
	3000x1500	360

**Varmvalsad Plåt S355J2G3**

Tjocklek	Dim	Vikt/st
<b>10 mm</b>	6000x2000	960
<b>12 mm</b>	6000x2000	1152
<b>15 mm</b>	6000x2000	1440
<b>20 mm</b>	6000x2000	1920
<b>25 mm</b>	6000x2000	2400
<b>30 mm</b>	6000x2000	2880

**Aluminium Durk AW-5754**

Tjocklek	Dim	Vikt/st
<b>3/5 mm</b>	2000x1000	18,00
	2500x1250	28,20
	3000x1500	40,50
<b>5/7 mm</b>	2000x1000	28,60
	2500x1250	44,70
	3000x1500	64,35

**Durk Rutplåt**

Tjocklek	Dim	Vikt/st
<b>4 mm</b>	2000x1000	72
	2500x1250	112
<b>5 mm</b>	2000x1000	88
	2500x1250	137
	3000x1500	197

Övriga dimensioner anskaffas på begäran

**Vinkelstång S 235 JR Varmvalsad**

Dim	Längd	kg/m
15 x 15 x 3	6 m	0,64
20 x 20 x 3	6 m	0,88
20 x 20 x 4	6 m	1,14
25 x 25 x 3	6 m	1,12
25 x 25 x 4	6 m	1,45
25 x 25 x 5	6 m	1,77
30 x 30 x 3	6 m	1,37
30 x 30 x 4	6 m	1,78
30 x 30 x 5	6 m	2,18
35 x 35 x 3	6 m	1,60
40 x 40 x 3	6 m	1,88
40 x 40 x 4	6 m	2,42
40 x 40 x 5	6 m	2,98
40 x 40 x 6	6 m	3,52
45 x 45 x 5	6 m	3,38
50 x 50 x 3	6 m	2,45
50 x 50 x 4	6 m	3,06
50 x 50 x 5	6 m	3,77
50 x 50 x 6	6 m	4,47
50 x 50 x 7	6 m	5,15
50 x 50 x 8	6 m	5,82
60 x 60 x 6	12 m	5,42
60 x 60 x 8	12 m	7,09
60 x 60 x 10	12 m	8,69
70 x 70 x 7	12 m	7,38
70 x 70 x 9	12 m	9,34
75 x 75 x 7	12 m	7,94
75 x 75 x 8	12 m	9,03
75 x 75 x 10	12 m	11,10
80 x 80 x 8	12 m	9,66
80 x 80 x 10	12 m	11,90
90 x 90 x 9	12 m	12,10
90 x 90 x 11	12 m	14,7
100 x 100 x 10	12 m	15,10
100 x 100 x 12	12m	17,8
100 x 100 x 14	12 m	20,6
30 x 20 x 3	6 m	1,11
30 x 20 x 4	6 m	1,45
40 x 20 x 3	6 m	1,35
40 x 20 x 4	6 m	1,77
45 x 30 x 4	6 m	2,25
45 x 30 x 5	6 m	2,77
50 x 30 x 5	6 m	2,97
60 x 30 x 5	6 m	3,37

**Vinkelstång S 235 JR Varmvalsad**

Dim	Längd	kg/m
60 x 30 x 7	6 m	4,59
60 x 40 x 5	6 m	3,76
60 x 40 x 7	6 m	5,14
65 x 50 x 6	6 m	5,17
75 x 50 x 5	12 m	4,74
75 x 50 x 7	12 m	6,53
75 x 60 x 9	12 m	8,23
80 x 40 x 6	12 m	5,41
80 x 40 x 8	12 m	7,07
90 x 60 x 8	12 m	8,96
100 x 50 x 6	12 m	6,85
100 x 50 x 8	12 m	9,03
100 x 50 x 10	12 m	11,10
100 x 65 x 8	12 m	9,85
100 x 65 x 9	12 m	11,10
100 x 65 x 11	12 m	13,4
100 x 75 x 8	12 m	10,6
100 x 75 x 10	12 m	13,00
100 x 75 x 12	12 m	15,4
120 x 80 x 10	12 m	15,00
120 x 80 x 12	12 m	17,8
130 x 65 x 8	12 m	11,9
130 x 65 x 10	12 m	14,6
130 x 65 x 12	12 m	17,4
130 x 90 x 10	12 m	16,6
150 x 75 x 9	12 m	15,4
150 x 75 x 11	12 m	18,6
150 x 90 x 10	12 m	18,2
150 x 100 x 10	12 m	19,0
150 x 100 x 12	12 m	22,5
150 x 100 x 14	12 m	26,1
160 x 80 x 12	12 m	21,6
180 x 90 x 10	12 m	20,6
180 x 90 x 12	12 m	24,4
200 x 100 x 12	12 m	27,3
200 x 100 x 14	12 m	31,6
200 x 100 x 16	12 m	35,9

\* Även liksidig/oliksiktig vinkelstång i stålsort S 355

**Konstruktionsrör KKR EN10219, S355J2H,**  
kvadratiska

Dim	Längd	kg/m
30x30x3	6 m	2,36
40x40x3	6 m	3,30
40x40x4	6 m	4,20
50x50x3	6 m	4,25
50x50x4	6 m	5,45
50x50x5	6 m	6,56
60x60x3	6 m	5,19
60x60x4	6 m	6,71
60x60x5	6 m	8,13
70x70x3	6 m	6,13
70x70x4	6 m	7,97
70x70x5	12 m	9,70
80x80x3	6 m	7,07
80x80x4	6 m	9,22
80x80x4	12 m	9,22
80x80x5	12 m	11,3
90x90x4	6 m	10,50
100x100x3	6 m	8,96
100x100x4	6 m	11,70
100x100x4	12 m	11,70
100x100x5	6 m	14,40
100x100x5	12 m	14,40
100x100x6	12 m	17,00
120x120x5	12 m	17,50

Även vkr rör  
Övriga dimensioner anskaffas på begäran

**Runda rör EN10255**

Dim	DN	Längd	kg/m
26,9 x 2,65	20	6 m	1,58
33,7 x 3,25	25	6 m	2,44
42,4 x 3,25	32	6 m	3,15
48,3 x 3,25	40	6 m	3,61
60,3 x 3,65	50	6 m	5,10
76,1 x 3,65	65	6 m	6,51
88,9 x 4,05	80	6 m	8,47

**Runda rör EN10255 - Varmförzinkade**

Dim	DN	Längd	kg/m
26,9 x 2,65	20	6 m	1,65
33,7 x 3,25	25	6 m	2,55
42,4 x 3,25	32	6 m	3,28
48,3 x 3,25	40	6 m	3,77
60,3 x 3,65	50	6 m	5,33
76,1 x 3,65	65	6 m	6,51
88,9 x 4,05	80	6 m	8,47

**Konstruktionsrör KKR S355J2H,**  
rektangulära

Dim	Längd	kg/m
50x30x3	6 m	3,30
60x40x3	6 m	4,25
60x40x4	6 m	5,45
80x40x3	6 m	5,19
80x40x4	6 m	6,71
80x40x5	12 m	8,13
100x40x3	6 m	8,96
100x50x4	6 m	11,70
100x50x4	12 m	11,70
100x50x5	6 m	14,40
120x50x5	12 m	14,40
120x60x6	12 m	17,00